EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	150	703/2.ccls. and @pd>"20071001"	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/08 12:57
L4	38	(fir or (finite adj impulse)) and (maximal$3 near flat) and @ad<"20021101"	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/08 13:06

Google Scholar BETA

fir maximally flat recurrence | 1950 - 2002 | Search | Ad Sc Sc

Scholar · All articles - <u>Recent articles</u> Results **1 - 10** of about **77** for <u>fir **maximally** **flat** recurrence</u>. (0.

All Results

I Selesnick
S Samadi
H Iwakura
A Nishihara
A Averbuch

Universal **maximally flat** <u>lowpass FIR</u> systems - all 9 versions »
S Samadi, A Nishihara, H Iwakura - Signal Processing, IEEE Transactions on [see also
Acoustics, ..., 2000 - ieeexplore.ieee.org
... **flat** filters proposed by Baher is a universal family of **maximally flat FIR** filters. ...
of the computer-generated proof is a three-term **recurrence** relation for the ...
Cited by 14 - Related Articles - Web Search

Maximally flat low-pass digital differentiator - all 4 versions »
IW Selesnick - Circuits and Systems II: Analog and Digital Signal ..., 2002 -
ieeexplore.ieee.org
... HFB(e j!) = j!; j!j < : (1) The **maximally flat FIR** approximation to the
ideal differentiator satis- fies the derivative constraints ...
Cited by 14 - Related Articles - Web Search

Optimal design of **maximally flat FIR** filters with arbitrarymagnitude specifications - all 2 versions »
LR Rajagopal, SCD Roy - Acoustics, Speech, and Signal Processing [see also IEEE ..., 1989
- ieeexplore.ieee.org
... ract—An optimal design procedure for **maximally flat FIR** fit- ters, based on the
Bernstein polynomial, is proposed. Using a set of **recurrence** relations, this ...
Cited by 4 - Related Articles - Web Search

Matrix approach for the coefficients of **maximally flat FIR** filter transfer functions expressed in ... - all 3 versions »
TOC View - Electronics Letters, 1987 - ieeexplore.ieee.org
... forms a complete set of **recurrence** relations for any order [Q]. It is worth ... 4
RAJAGOPAL,
LR, and DUTTA ROY, s. c : 'Design of **maximally flat FIR** filters using ...
Cited by 2 - Related Articles - Web Search

Filter-generating systems - all 3 versions »
S Samadi, A Nishihara, H Iwakura - Circuits and Systems II: Analog and Digital Signal ...,
2000 - ieeexplore.ieee.org
... We need to carry out the **recurrence** up to nx = i to realize the filter ... of Section
III, the system can be used to implement any desired **FIR maximally flat** filter ...
Cited by 4 - Related Articles - Web Search

Generalized digital Butterworth filter design - all 23 versions »
IW Selesnick, CS Burrus - Signal Processing, IEEE Transactions on [see also Acoustics, ...,
1998 - ieeexplore.ieee.org
... class of infinite im- pulse response (IIR) digital filters that unifies the classical
digital Butter- worth filter and the well-known **maximally flat FIR** filter ...
Cited by 18 - Related Articles - Web Search

Simultaneous amplitude and phase approximation for **FIR** filters - all 3 versions »
F Leeb, T Henk - Circuits and Systems, 1988., IEEE International Symposium on, 1988 -

IEEE Xplore® RELEASE 2.5

☐ Search Results

BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "((maximal flat<and>fir)) <and> (pyr >= 1913 <and> pyr <= 2002)"
Your search matched **4** of **1742653** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

New [Beta]
Application Notes
POWERED BY
GLOBALSPEC

» **Search Options**

View Session History

New Search

» **Key**

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((maximal flat<and>fir)) <and> (pyr >= 1913 <and> pyr <= 2002) · | Search |

☐ Check to search only within this results set

Display Format: ⊙ Citation ◯ Citation & Abstract

IEEE/IET	Books	Educational Courses	A

Interactive online content developed from IEEE conference tutorials.

⌐ **view selected items**   <u>Select All</u> <u>Deselect All</u>

☐ 1. **Frequency estimation by demodulation of two complex signals**
Akke, M.;
<u>Power Delivery, IEEE Transactions on</u>
Volume 12, <u>Issue 1</u>, Jan. 1997 Page(s):157 - 163
Digital Object Identifier 10.1109/61.568235

<u>AbstractPlus</u> | <u>References</u> | Full Text: <u>PDF</u>(592 KB)   IEEE JNL
<u>Rights and Permissions</u>

☐ 2. **The uniqueness in designing multidimensional causal recursive digital f**
magnitude hyperspherical symmetry
Liu, X.; Bruton, L.T.;
<u>Circuits and Systems II: Analog and Digital Signal Processing, IEEE Transact</u>
<u>and Systems II: Express Briefs, IEEE Transactions on]</u>
Volume 40, <u>Issue 9</u>, Sept. 1993 Page(s):533 - 545
Digital Object Identifier 10.1109/82.257331

<u>AbstractPlus</u> | Full Text: <u>PDF</u>(1148 KB)   IEEE JNL
<u>Rights and Permissions</u>

☐ 3. **Design of efficient FIR filters for the amplitude response: |1/ω| by using**
Kumar, B.; Kumar, A.;
<u>Signal Processing, IEEE Transactions on [see also Acoustics, Speech, and S</u>
<u>Transactions on]</u>
Volume 47, <u>Issue 2</u>, Feb. 1999 Page(s):559 - 563
Digital Object Identifier 10.1109/78.740144

<u>AbstractPlus</u> | <u>References</u> | Full Text: <u>PDF</u>(220 KB)   IEEE JNL
<u>Rights and Permissions</u>

☐ 4. **A method of designing optimal wavelet filter banks**
Peng Zhiwei; Wang Bo; Liao Guisheng;
<u>Signal Processing Proceedings, 1998. ICSP '98. 1998 Fourth International Cc</u>
12-16 Oct. 1998 Page(s):253 - 256 vol.1
Digital Object Identifier 10.1109/ICOSP.1998.770200

<u>AbstractPlus</u> | Full Text: <u>PDF</u>(208 KB)   IEEE CNF
<u>Rights and Permissions</u>

IEEE Xplore®
RELEASE 2.5

Welcome United States Patent and Trademark Office

□ Search Results

BROWSE · SEARCH IEEE XPLORE GUIDE

Results for "((((maximally flat<and>fir)) <and> (pyr >= 1913 <and> pyr <= 2002))<in>..."
Your search matched 80 of 1742653 documents.
A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

New [Beta]
Application Notes
POWERED BY
GLOBALSPEC

» Search Options

View Session History

New Search

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((((maximally flat<and>fir)) <and> (pyr >= 1913 <and> pyr <= 2002))<in>metadata)   [Search]

☐ Check to search only within this results set

Display Format: ⦿ Citation   ◯ Citation & Abstract

IEEE/IET   Books   Educational Courses   A

IEEE/IET journals, transactions, letters, magazines, conference proceedings, and

[view selected items]   Select All Deselect All   View:

☐   1. **Closed-form design of generalized maximally flat low-pass FIR filters us**
    Peng-Hua Wang; Soo-Chang Pei;
    Acoustics, Speech, and Signal Processing, 2000. ICASSP '00. Proceedings.
    Conference on
    Volume 1, 5-9 June 2000 Page(s):472 - 475 vol.1
    Digital Object Identifier 10.1109/ICASSP.2000.862017

    AbstractPlus | Full Text: PDF(296 KB)   IEEE CNF
    Rights and Permissions

☐   2. **A design method of low delay lowpass FIR filters with maximally flat cha**
    passband and the transmission zeros in the stopband
    Aikawa, N.; Sato, M.;
    Circuits and Systems, 2002. ISCAS 2002. IEEE International Symposium on
    Volume 1, 26-29 May 2002 Page(s):I-405 - I-408 vol.1
    Digital Object Identifier 10.1109/ISCAS.2002.1009863

    AbstractPlus | Full Text: PDF(401 KB)   IEEE CNF
    Rights and Permissions

☐   3. **Low delay lowpass FIR filters with maximally flat characteristics in the p**
    transmission zeros in the stopband
    Aikawa, N.; Sato, M.;
    Acoustics, Speech, and Signal Processing, 2002. Proceedings. (ICASSP '02)
    Conference on
    Volume 2, 2002 Page(s):1533 - 1536
    Digital Object Identifier 10.1109/ICASSP.2002.1006047

    AbstractPlus | Full Text: PDF(364 KB)   IEEE CNF
    Rights and Permissions

☐   4. **Efficient and multiplierless design of FIR filters with very sharp cutoff vi**
    blocks
    Vaidyanathan, P.;
    Circuits and Systems, IEEE Transactions on
    Volume 32, Issue 3, Mar 1985 Page(s):236 - 244

    AbstractPlus | Full Text: PDF(888 KB)   IEEE JNL